ELSEVIER Nuclear Instruments and Methods in Physics Research A 520 (2004) xvii–xxix

NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH Section A

www.elsevier.com/locate/nima

Contents

Proceedings of the 10th International Workshop on
Low Temperature Detectors (LTD-10)
Genoa, Italy, July 7–11, 2003

Editor: Flavio Gatti

Editorial vii
Local Organizing Committee viii
List of Participants ix
Conference Photo xvi

Section 1: Introduction to the Physics of Low Temperature Detectors

Introduction or "Low-temperature detectors: yesterday, today and tomorrow"
E. Fiorini 1

A modest prehistory of low-temperature detectors
G. Waysand 4

Physics of low-temperature microcalorimeters
D. McCammon 11

Non-equilibrium superconductivity and superconducting tunnel junction detectors
M. Kurakado 16

Physics of electrons and phonons in low-temperature detectors
M. Chapellier 21

Section 2. Advancements in New Detectors

Metallic magnetic calorimeters (MMC): detectors for high-resolution X-ray spectroscopy
A. Fleischmann, M. Link, T. Daniyarov, H. Rotzinger, C. Enss and G.M. Seidel 27

Dark counts of a superconducting single-photon detector
A. Engel, A. Semenov, H.-W. Hübers, K. Ilin and M. Siegel 32

Current developmental status of thermoelectric (QVD) detectors
A. Gulian, K. Wood, D. Van Vechten, G. Fritz, H.-D. Wu, S. Bounnak, K. Bussman, K. Winzer, S. Kunii, V. Gurin, M. Korsukova, C. Mitterer, M. Carlsson, F. Golf, A. Kuzanyan, G. Badalyan, S. Harutyunyan, S. Petrosyan, V. Vardanyan, T. Paronyan and V. Nikoghosyan 36

Dual-detector for simultaneous time and energy measurements with superconductive detectors
M. Ejrnaes, E. Esposito, M.P. Lissitski, S. Pagano, D.P. de Lara and R. Cristiano 41

Doped silicon and NIS junctions for bolometer applications
R. Leoni, B. Buonomo, G. Castellano, F. Mattioli, G. Torrioli, L. Di Gaspare and F. Evangelisti 44

doi:10.1016/S0168-9002(04)00200-1

Optimization of magnetic calorimeters

A. Fleischmann, C. Enss and G.M. Seidel 48

Lithographically patterned magnetic calorimeter X-ray detectors with integrated SQUID readout

B.L. Zink, K.D. Irwin, G.C. Hilton, D.P. Pappas, J.N. Ullom and M.E. Huber 52

Toward ultimate performance limits of thermoelectric (QVD) detectors

K. Wood, D. Van Vechten, G. Fritz, H.-D. Wu, S. Bounnak, K. Bussman, K. Winzer, S. Kunii, V. Gurin, M. Korsukova, C. Mitterer, M. Carlsson, F. Golf, A. Kuzanyan, G. Badalyan, S. Harutyunyan, S. Petrosyan, V. Vardanyan, T. Paronyan, V. Nikoghosyan and A. Gulian 56

Section 3. Atomic, Nuclear and Particle Physics

Using a microcalorimeter to measure the Lamb shift in hydrogenic gold and uranium on cooled, decelerated ion beams

E. Silver, H. Schnopper, G. Austin, R. Ingram, G. Guth, S. Murray, N. Madden, D. Landis, J. Beeman, E.E. Haller and Th. Stöhlker. 60

First application of calorimetric low-temperature detectors in accelerator mass spectrometry

S. Kraft, V. Andrianov, A. Bleile, P. Egelhof, R. Golser, A. Kiseleva, O. Kiselev, W. Kutschera, J.P. Meier, A. Priller, A. Shrivastava, P. Steier and C. Vockenhuber 63

Neutron detection by superconducting tunnel junctions on a $Li_2B_4O_7$ single-crystal absorber

T. Nakamura, M. Katagiri, M. Ukibe, T. Ikeuchi and M. Ohkubo. 67

Microcalorimeter design for fast-neutron spectroscopy

T. Niedermayr, I.D. Hau, T. Miyazaki, S. Terracol, A. Burger, V.E. Lamberti, Z.W. Bell, J.L. Vujic, S.E. Labov and S. Friedrich 70

Feasibility study of absolute activity measurement with metallic magnetic microcalorimeters

M. Loidl, E. Leblanc, T. Branger, H. Rotzinger, T. Daniyarov, M. Linck, A. Fleischmann and C. Enss 73

Cryogenic neutron detector by InSb semiconductor detector with high-density helium-3 gas converter

T. Nakamura, M. Katagiri, Y. Aratono, I. Kanno, S. Hishiki, O. Sugiura and Y. Murase 76

HPGe detectors for low-temperature nuclear orientation

D. Zákoucký, D. Srnka, D. Vénos, V. Golovko, I. Kraev, T. Phalet, P. Schuurmans, N. Severijns, B. Vereecke and S. Versyck 80

Noise analysis for calorimetric low-temperature detectors for heavy ions

V.A. Andrianov, A. Bleile, P. Egelhof, S. Kraft, A. Kiseleva, O. Kiselev, H.J. Meier and J.P. Meier 84

Low-temperature tracking detectors

T.O. Niinikoski, M. Abreu, P. Anbinderis, T. Anbinderis, N. D'Ambrosio, W. de Boer, E. Borchi, K. Borer, M. Bruzzi, S. Buontempo, W. Chen, V. Cindro, B. Dezillie, A. Dierlamm, V. Eremin, E. Gaubas, V. Gorbatenko, V. Granata, E. Grigoriev, S. Grohmann, F. Hauler, E. Heijne, S. Heising, O. Hempel, R. Herzog, J. Härkönen, I. Ilyashenko, S. Janos, L. Jungermann, V. Kalesinskas, J. Kapturauskas, R. Laiho, Z. Li, P. Luukka, I. Mandic, R. De Masi, D. Menichelli, M. Mikuz, O. Militaru, G. Nuessle, V. O'Shea, S. Pagano, S. Paul, B. Perea Solano, K. Piotrzkowski, S. Pirollo, K. Pretzl, M. Rahman, P. Rato Mendes, X. Rouby, G. Ruggiero, K. Smith, P. Sousa, E. Tuominen, E. Tuovinen, J. Vaitkus, E. Verbitskaya, C. da Viá, L. Vlasenko, M. Vlasenko, E. Wobst and M. Zavrtanik. 87

Schottky and pn junction cryogenic radiation detectors made of p-InSb compound semiconductor

I. Kanno, S. Hishiki, H. Murakami, O. Sugiura, Y. Murase, T. Nakamura and M. Katagiri 93

Section 4. Dark Matter and Neutrino Physics

Dark Matter direct searches

J. Gascon 96

Latest results from the EDELWEISS WIMP search

S. Marnieros, A. Benoit, L. Bergé, A. Broniatowski, B. Censier, L. Chabert, B. Chambon, M. Chapellier, G. Chardin, P. Charvin, M.D. Jésus, P. Di Stefano, D. Drain, L. Dumoulin, M. Fesquet, S. Fiorucci, J. Gascon, G. Gerbier, E. Gerlic, C. Goldbach, M. Goyot, M. Gros, J.P. Hadjout, S. Hervé, A. Juillard, C. Kikuchi, A. de Lesquen, J. Mallet, O. Martineau, L. Mosca, X.F. Navick, G. Nollez, P. Pari, C. Riccio, V. Sanglard, M. Stern, L. Vagneron and V. Villard 101

Further results from the CDMS experiment

D.S. Akerib, M.S. Armel, M. Attisha, L. Baudis, D.A. Bauer, P.L. Brink, R. Bunker, B. Cabrera, D.O. Caldwell, C.L. Chang, M.B. Crisler, P. Cushman, R. Dixon, D.D. Driscoll, L. Duong, R.J. Gaitskell, M.E. Huber, S. Kamat, A. Lu, R. Mahapatra, V. Mandic, J.M. Martinis, P. Meunier, N. Mirabolfathi, H. Nelson, R.W. Ogburn, M.C.P. Isaac, W. Rau, A. Reisetter, R. Ross, T. Saab, B. Sadoulet, J. Sander, C. Savage, R.W. Schnee, J.-P.F. Thompson, G. Wang, S. Yellin and B.A. Young 105

Cresst-II: dark matter search with scintillating absorbers

G. Angloher, C. Bucci, C. Cozzini, F. von Feilitzsch, T. Frank, D. Hauff, S. Henry, Th. Jagemann, J. Jochum, H. Kraus, B. Majorovits, J. Ninkovic, F. Petricca, F. Pröbst, Y. Ramachers, W. Rau, W. Seidel, M. Stark, S. Uchaikin, L. Stodolsky and H. Wulandari 108

Results from the ORPHEUS dark matter detector

K. Borer, G. Czapek, F. Hasenbalg, M. Hauser, S. Janos, P. Loaiza, U. Moser, K. Pretzl, C. Schütz, P. Wicht and S. Wüthrich 112

Installation and commissioning of the CDMSII experiment at Soudan

D.S. Akerib, J. Alvaro-Dean, M.S. Armel, M.J. Attisha, L. Baudis, D.A. Bauer, A.I. Bolozdynya, P.L. Brink, R. Bunker, B. Cabrera, D.O. Caldwell, J.P. Castle, C.L. Chang, R.M. Clarke, M.B. Crisler, P. Cushman, A.K. Davies, R. Dixon, D.D. Driscoll, L. Duong, J. Emes, R. Ferril, R.J. Gaitskell, S.R. Golwala, M. Haldeman, J. Hellmig, M. Hennessey, D. Holmgren, M.E. Huber, S. Kamat, M. Kurylowicz, A. Lu, R. Mahapatra, V. Mandic, J.M. Martinis, P. Meunier, N. Mirabolfathi, S.W. Nam, H. Nelson, R. Nelson, R.W. Ogburn, J. Perales, T.A. Perera, M.C.P. Isaac, W. Rau, A. Reisetter, R.R. Ross, T. Saab, B. Sadoulet, J. Sander, C. Savage, R.W. Schnee, D.N. Seitz, T.A. Shutt, G. Smith, A.L. Spadafora, J.-P.F. Thompson, A. Tomada, G. Wang, S. Yellin and B.A. Young 116

Neutrino physics 2003—status and perspectives

M. Altmann 120

New limits from the Milano neutrino mass experiment with thermal microcalorimeters

M. Sisti, C. Arnaboldi, C. Brofferio, G. Ceruti, O. Cremonesi, E. Fiorini, A. Giuliani, B. Margesin, L. Martensson, A. Nucciotti, M. Pavan, G. Pessina, S. Pirro, E. Previtali, L. Soma and M. Zen 125

First results from the Cuoricino experiment

C. Bucci, C. Arnaboldi, D.R. Artusa, F.T. Avignone III, M. Balata, I. Bandac, M. Barucci, C. Brofferio, J. Beeman, S. Capelli, L. Carbone, S. Cebrian, O. Cremonesi, R.J. Creswick, H.A. Farach, A. Fascilla, E. Fiorini, G. Frossati, A. Giuliani, P. Gorla, E.E. Haller, I.G. Irastorza, R.J. McDonald, A. Morales, E.B. Norman, A. Nucciotti, E. Olivieri, V. Palmieri, E. Pasca, M. Pavan, M. Pedretti, G. Pessina, S. Pirro, C. Pobes, E. Previtali, M. Pyle, L. Risegari, C. Rosenfeld, M. Sisti, A.R. Smith, L. Torres, G. Ventura and A. de Waard 132

Development of a cryogenic detection concept for GNO

J.-C. Lanfranchi, T. Lachenmaier, W. Potzel and F. von Feilitzsch 135

Status of the Lisbon experiment on neutrino mass determination

T.A. Girard, P. Valko, M.R. Gomes and C. Oliveira 138

Detection of a single electron produced inside bulk superfluid helium

B. Sethumadhavan, W. Yao, H. Eguchi, Y.H. Huang, Y.H. Kim, R.E. Lanou, H.J. Maris, A.N. Mocharnuk-Macchia and G.M. Seidel 142

Towards a background-free double-beta decay experiment using the EDELWEISS cryogenic Ge detectors

G. Chardin, A. Broniatowski, H. Deschamps, Y. Jin and M. Fesquet 145

How to improve the sensitivity of future neutrino mass experiments with thermal calorimeters

A. Nucciotti, C. Arnaboldi, C. Brofferio, O. Cremonesi, E. Fiorini, A. Giuliani, M. Pavan, G. Pessina, S. Pirro, E. Previtali and M. Sisti. 148

Section 5. Massive Detectors

Science and technology of large-mass bolometer arrays

C. Brofferio 151

Surface trapping and detector degradation in Ge bolometers for the EDELWEISS Dark Matter search: experiment and simulation

B. Censier, A. Broniatowski, A. Juillard, L. Bergé and L. Dumoulin. 156

Scintillating and particle discrimination properties of selected crystals for low-temperature bolometers: from LiF to BGO

N. Coron, G. Dambier, E. Leblanc, J. Leblanc, P. de Marcillac and J.-P. Moalic 159

Demonstration of feasibility of operating a silicon ZIP detector with 20 eV threshold

D.S. Akerib, M. Dragowsky, D. Driscoll, S. Kamat, T. Perera, R. Schnee, G. Wang, R. Gaitskell, L. Bogdanova and V. Trofimov. 163

A massive bolometer on the international space station to measure energy deposition by the space radiation environment

S.T.P. Boyd, R.V. Duncan and W.A. Holmes. 167

Study of the dead layer in germanium for the CDMS detectors

V. Mandic, N. Mirabolfathi, P. Meunier, C.L. Chang, L. Baudis, P.L. Brink, M.J. Attisha, J.-P.F. Thompson, R.J. Gaitskell, R.W. Schnee, B. Serfass, R.W. Ogburn, W. Rau and J. Filippini 171

New fabrication techniques for PASS

A. Kotlicki, B.G. Turrell, D. DiSanto and A.K. Drukier 175

A simulation code for the ionization and heat signals in low-temperature germanium detectors for Dark Matter research

A. Broniatowski. 178

Incomplete charge collection and the Luke effect in low-temperature germanium bolometer for dark matter search

A. Juillard, A. Broniatowski, B. Censier, L. Bergé, S. Marnieros and L. Dumoulin 182

Identification of near surface events using athermal phonon signals in low temperature Ge bolometers for the EDELWEISS experiment

S. Marnieros, A. Juillard, L. Bergé, S. Collin and L. Dumoulin 185

Fabrication of ultra-low radioactivity detector holders for Edelweiss-II

X.-F. Navick, M. Carty, M. Chapellier, G. Chardin, C. Goldbach, R. Granelli, S. Hervé, M. Karolak, G. Nollez, F. Nizery, C. Riccio, P. Starzynski and V. Villar. 189

Light detector development for CRESST II

F. Petricca, G. Angloher, C. Cozzini, T. Frank, D. Hauff, J. Ninković, F. Pröbst, W. Seidel and S. Uchaikin 193

Detectors with Ir/Au-thermometers for high count rate tests in the CRESST experiment

M. Stark, F.v. Feilitzsch, M. Huber, T. Lachenmaier, J. Lanfranchi, T. Jagemann, J. Jochum, W. Potzel, W. Rau, M. Razeti, K. Rottler, J. Schnagl, D. Wernicke, W. Westphal and H. Wulandari 197

Simulations of transitions in superheated superconducting granules

A. Peñaranda, C.E. Auguet and L. Ramírez-Piscina 201

RAP: acoustic detection of particles in ultracryogenic resonant antenna

S. Bertolucci, E. Coccia, S. D'Antonio, A. de Waard, G.D. Monache, D. Di Gioacchino, V. Fafone, A. Fauth, G. Frossati, C. Ligi, A. Marini, G. Mazzitelli, G. Modestino, G. Pizzella, L. Quintieri, G. Raffone, F. Ronga, P. Tripodi and P. Valente 205

Measurements and modeling of the thermal properties of a calorimeter having a sapphire absorber

Y.H. Kim, H. Eguchi, C. Enss, Y.H. Huang, R.E. Lanou, H.J. Maris, A.N. Mocharnuk-Macchia, G.M. Seidel, B. Sethumadhavan and W. Yao 208

Large area bismuth absorbers for X-ray microcalorimeters

J.E. Vaillancourt, C.A. Allen, R. Brekosky, A. Dosaj, M. Galeazzi, R. Kelley, D. Liu, D. McCammon, F.S. Porter, L.E. Rocks, W.T. Sanders and C.K. Stahle. 212

Spectral broadening by spatial effects in X-ray microcalorimeters with superconducting absorber and NTD-Ge thermal sensor

E. Perinati, M. Barbera, S. Serio and E. Silver 216

Spectral broadening by quasiparticle pile-up in X-ray microcalorimeters with superconducting absorbers

M. Barbera, E. Perinati, S. Serio and E. Silver 220

Superconducting absorber for ^{163}Ho electron capture decay measurement

L. Gastaldo, P. Manfrinetti, F. Gatti, G. Gallinaro, D. Pergolesi, M.R. Gomes, M. Razeti, S. Dussoni, P. Repetto and R. Valle 224

Section 6. STJ Physics

The effect of quasiparticle self-generation on the performance of small gap multiple tunnelling STJs

A.G. Kozorezov, R. den Hartog, J.K. Wigmore, G.B. Brammertz, A. Peacock, D. Martin, P. Verhoeve and N. Rando 227

Photon energy dependence of spatial non-uniformity in super-conducting tunnel junction detectors between 200 ev and 10 keV

M. Ohkubo, M. Ukibe, T. Zama, T. Ikeuchi, M. Katagiri and S. Ichimura 231

Characterization of an Al-STJ-based X-ray detector with monochromatized synchrotron radiation

M. Huber, S. Bechstein, B. Beckhoff, F.v. Feilitzsch, J. Jochum, M. Krumrey, A. Rüdig and G. Ulm 234

Diffusion-engineered single-photon spectrometer for UV/visible detection

V. Savu, L. Li, A. Mukherjee, C.M. Wilson, L. Frunzio, D.E. Prober and R.J. Schoelkopf 237

Annular superconducting tunnel junction with injected current as a new configuration of radiation detector

M.P. Lissitski, M. Ejrnaes, C. Nappi, R. Cristiano, M. Huber, K. Rottler, J. Jochum and F. von Feilitzsch 240

Progress in fabrication of high quality tantalum film absorber for STJ radiation detector

M.P. Lissitski, D.P. de Lara, R. Cristiano, M.L.D. Rocca, L. Maritato and M. Salvato 243

Quasiparticle loss rates in Ta-based superconducting tunnel junctions

P. Verhoeve, G. Brammertz, D. Martin and A. Peacock 246

STJ X-ray detectors with titanium sublayer

M.G. Kozin, I.L. Romashkina, S.A. Sergeev, L.V. Nefedov, V.A. Andrianov, V.N. Naumkin, V.P. Koshelets and L.V. Filippenko 250

Energy resolution of the superconducting detector with the $S_0S_1I_1S_2NI_2S_3$-structure

V.V. Samedov 254

Influence of the proximity effect on the energy resolution of STJs

V.V. Samedov 257

Aluminum thickness dependence of spatial profile in niobium-based superconducting tunnel junctions

M. Ukibe, T. Ikeuchi, T. Zama and M. Ohkubo 260

Phonon excitation of quasiparticles in niobium and tantalum superconducting tunnel junction photon detectors

J.K. Wigmore, P. Boyd, A.C. Steele, A.G. Kozorezov and D.I. Bradley 263

Section 7. TES Physics and Noise

Microscopic observation of operating Ir/Au-TES microcalorimeter by low-temperature scanning synchrotron microscopy

Y. Kunieda, D. Fukuda, H. Takahashi, M. Ohno, M. Nakazawa, M. Ohkubo, F. Hirayama and M. Koike. 267

Parameter comparison for low-noise Mo/Au TES bolometers

D.J. Benford, S.H. Moseley, J.G. Staguhn, C.A. Allen, J.A. Chervenak, T.R. Stevenson and W.-T. Hsieh. 270

Dilute Al–Mn alloys for superconductor device applications

S.T. Ruggiero, A. Williams, W.H. Rippard, A.M. Clark, S.W. Deiker, B.A. Young, L.R. Vale and J.N. Ullom 274

Analyses on the operating point dependence of the energy resolution with a Ti/Au TES microcalorimeter

U. Morita, Y. Ishisaki, T. Koga, T. Ohashi, S.F. Terracol, T. Miyazaki, S. Friedrich, K. Mitsuda and K. Tanaka. 277

Characterization and modeling of transition edge sensors for high resolution X-ray calorimeter arrays

T. Saab, E. Apodacas, S.R. Bandler, K. Boyce, J. Chervenak, E. Figueroa-Feliciano, F. Finkbeiner, C. Hammock, R. Kelley, M. Lindeman, F.S. Porter and C.K. Stahle 281

Design of transition edge sensor microcalorimeters for optimal performance

S.R. Bandler, E. Figueroa-Feliciano, C.K. Stahle, K. Boyce, R. Brekosky, J. Chervenak, F. Finkbeiner, R. Kelley, M. Lindeman, F.S. Porter and T. Saab. 285

Experimental study of superconducting transition in a molybdenum–copper thin film structure showing the proximity phenomenon and the estimation of the sensitivity of TES bolometers on the basis of such a structure

A.N. Vystavkin, S.A. Kovtonyuk and A.G. Kovalenko 289

Iridium thin films deposited via pulsed laser deposition for future applications as transition-edge sensors

M. Galeazzi, C. Chen, J.L. Cohn and J.O. Gundersen. 293

Study of a Mo–Au TES deposited directly on a freestanding membrane

J.E. Olsen, E.C. Kirk, Ph. Lerch, M.E. Huber, K. Arzner, W. Hajdas, A. Zehnder and H.R. Ott 296

The non-equilibrium response of a high-resolution Ti/Au X-ray microcalorimeter

S. Terracol, T. Miyazaki, U. Morita, Y. Ishisaki, K. Tanaka, K. Mitsuda and S. Friedrich 300

Effect of high-flux astronomical sources on the constellation-X microcalorimeter spectrometer

E. Figueroa-Feliciano, S. Bandler, K. Boyce, J. Chervenak, F. Finkbeiner, R. Kelley, M.A. Lindeman, S.F. Porter, T. Saab and C.K. Stahle 303

Using ion implantation to adjust the transition temperature of superconducting films

B.A. Young, J.R. Williams, S.W. Deiker, S.T. Ruggiero and B. Cabrera 307

Development of iridium TES by pulsed laser deposition with a Nd:YAG laser

D. Pergolesi, F. Gatti, L. Gastaldo, M.R. Gomes, S. Dussoni, R. Valle, P. Repetto, D. Marré and E. Bellingeri 311

Flat coil-based tunnel diode oscillator enabling to detect the real shape of the superconductive transition curve and capable of imaging the properties of HTSC films with high spatial resolution

S. Gevorgyan, H. Shirinyan, A. Manukyan, E. Sharoyan, M. Takeo, A. Polyanskii, A. Sarkisyan and T. Matsushita 314

Performance of resistive microcalorimeters and bolometers

M. Galeazzi 320

Intrinsic excess noise in a transition edge sensor

G.M. Seidel and I.S. Beloborodov 325

Understanding TES microcalorimeter noise and energy resolution

W.B. Tiest, M. Bruijn, H. Hoevers, P. de Korte, J. van der Kuur and W. Mels 329

Suppression of excess noise in Transition-Edge Sensors using magnetic field and geometry

J.N. Ullom, W.B. Doriese, G.C. Hilton, J.A. Beall, S. Deiker, K.D. Irwin, C.D. Reintsema, L.R. Vale and Y. Xu 333

Approaching the fundamental noise limit in Mo/Au TES bolometers with transverse normal metal bars

J.G. Staguhn, S.H. Moseley, D.J. Benford, C.A. Allen, J.A. Chervenak, T.R. Stevenson and W.-T. Hsieh . 336

Current dependence of performance of TES microcalorimeters and characteristics of excess noise

Y. Takei, R. Fujimoto, Y. Ishisaki, U. Morita, K. Tanaka, T. Koga, K. Mitsuda, T. Ohashi, N.Y. Yamasaki, N. Iyomoto, T. Ichitsubo, K. Sato, T. Fujimori, T. Oshima, K. Futamoto, K. Shinozaki, T. Morooka, S. Nakayama, K. Yoshida, N. Takai and K. Chinone 340

Intrinsic noise sources in superconductors near the transition temperature

M. Galeazzi, F. Zuo, C. Chen and E. Ursino 344

Characterization and reduction of noise in Mo/Au transition edge sensors

M.A. Lindeman, S. Bandler, R.P. Brekosky, J.A. Chervenak, E. Figueroa-Feliciano, F.M. Finkbeiner, T. Saab and C.K. Stahle 348

Current noise in MgB_2 superconducting thin films

M. Rajteri, C. Gandini, E. Monticone, C. Portesi, A. Masoero, C. Boveri and P. Mazzetti 351

Section 8. X-ray Astrophysics, IR Astronomy and Cosmic Microwave Background

Low-temperature detectors in X-ray astronomy

F.S. Porter 354

X-ray spectroscopy of Gamma-Ray Bursts

L. Piro 359

The X-ray microcalorimeter instruments on the Astro-E2 and Constellation-X X-ray observatories

R.L. Kelley 364

Characterization of the Astro-E2 X-ray spectrometer

J. Cottam, K.R. Boyce, G.V. Brown, E. Figueroa-Feliciano, R.L. Kelley, V. Ponce, F.S. Porter, C.K. Stahle and W.A. Tillotson 368

The Advanced Technology Solar Spectroscopic Imager—a novel experiment employing a transition-edge sensor to probe the soft X-ray solar corona

P. Boerner, D.S. Martínez-Galarce, K. Wamba, B. Cabrera, S. Deiker, K. Irwin, T.W. Barbee (II) and P.C. Baker 372

X-ray survey with microcalorimeters: from GRB in the far universe to diffuse emission in our galaxy

L. Piro, L. Colasanti, G. Gandolfi, L. Pacciani, A. De Rosa, D. Hampai, E. Costa, M. Feroci, P. Soffitta, F. Gatti, D. Pergolesi, R. Vaccarone, M. Orio, A. Ferrari, E. Trussoni, D. McCammon, W.T. Sanders, F.S. Porter, R.L. Kelley, C.K. Stahle, E. Figueroa, A. Szymkowiak and M. Galeazzi 376

Cryogenic detectors for infrared astronomy: the Single Aperture Far-InfraRed (SAFIR) Observatory

D.J. Benford and S.H. Moseley 379

Astronomical results from SHARC-II

J.G. Staguhn, D.J. Benford, S.H. Moseley and C.D. Dowell 384

A 90 GHz array for the Green Bank Telescope

D.J. Benford, M.J. Devlin (PI), S.R. Dicker, K.D. Irwin, P.R. Jewell, J. Klein, B.S. Mason, H.S. Moseley, R.D. Norrod and M.P. Supanich 387

Antennas for bolometric focal plane

A. Goldin, J.J. Bock, A.E. Lange, H. LeDuc, A. Vayonakis and J. Zmuidzinas 390

Thermal stability in precision cosmology experiments: the Planck LFI case

L. Terenzi, A. Mennella, M. Bersanelli, N. Mandolesi, G. Morgante, M. Prina, M. Tomasi and L. Valenziano 393

Analysis of the radiometer—reference load system on board the Planck/LFI instrument

F. Cuttaia, L. Valenziano, M. Bersanelli, R.C. Butler, O. D'Arcangelo, D. Kettle, S. Levin, N. Mandolesi, A. Mennella, G. Morgante, G. Morigi, N. Roddis, A. Simonetto, L. Terenzi, M. Tomasi and F. Villa 396

Section 9. Array of Microdetectors

The science and technology of microcalorimeter arrays

A.K. Caroline 402

Design considerations for arrays of MMCs for X-ray astronomy

C. Enss, A. Fleischmann, S.R. Bandler, T.R. Stevenson and G.M. Seidel 407

Performance of compact TES arrays with integrated high-fill-fraction X-ray absorbers

M.A. Lindeman, S. Bandler, R.P. Brekosky, J.A. Chervenak, E. Figueroa-Feliciano, F.M. Finkbeiner, R.L. Kelley, T. Saab, C.K. Stahle and D.J. Talley 411

Development of a pixellated Ir-TES for a large format TES array

M. Ohno, H. Takahashi, D. Fukuda, Y. Kunieda, M. Nakazawa, M. Ohkubo, F. Hirayama, C. Ohtani and H.M. Shimizu 414

The design and performance of the 384-element imaging submillimeter detector arrays for HAWC and SHARC II

S.H. Moseley, C.A. Allen, D. Benford, C.D. Dowell, D.A. Harper, T.G. Phillips, R.F. Silverberg and J. Staguhn 417

A bolometer array for the spectral energy distribution (SPEED) camera

R.F. Silverberg, S. Ali, A. Bier, B. Campano, T.C. Chen, E.S. Cheng, D.A. Cottingham, T.M. Crawford, T. Downes, F.M. Finkbeiner, D.J. Fixsen, D. Logan, S.S. Meyer, C. O'Dell, T. Perera, E.H. Sharp, P.T. Timbie and G.W. Wilson 421

Arrays of antenna-coupled bolometers using transition edge sensors

M.J. Myers, W. Holzapfel, A.T. Lee, R. O'Brient, P.L. Richards, D. Schwan, A.D. Smith, H. Spieler and H. Tran 424

SCUBA-2 arrays to system interfaces

W. Duncan, D. Audley, W. Holland, D. Atkinson, T. Baillie, M. Cliffe, M. Ellis, X. Gao, D. Gostick, T. Hodson, D. Kelly, M. MacIntosh, H. McGregor, T. Peacocke, I. Smith, I. Robson, A. Walton, W. Parkes, C. Dunare, S. Smith, J. Terry, T. Stevenson, A. Gundlach, A. Ruthven, P. Ade, C. Tucker, F. Gannaway, I. Walker, R. Sudiwala, A. Woodcraft, M. Griffin, D. Bintley, E. Schulte, M. Fich, J. Kycia, M. Halpern, J. Molnar, B. Burger, D. Naylor, P. Bastien, G. Mitchell, K. Irwin, G. Hilton, J. Ullom, C. Reintsema, L. Vale, L. Ferreira and W. Doriese. 427

TES microcalorimeter development for future Japanese X-ray astronomy missions

R. Fujimoto, K. Mitsuda, N.Y. Yamasaki, N. Iyomoto, T. Oshima, Y. Takei, K. Futamoto, T. Ichitsubo, T. Fujimori, K. Yoshida, Y. Ishisaki, U. Morita, T. Koga, K. Shinozaki, K. Sato, N. Takai, T. Ohashi, H. Kudo, H. Sato, T. Arakawa, H. Kobayashi, T. Izumi, S. Ohtsuka, K. Mori, S. Shoji, T. Osaka, T. Homma, Y. Kuroda, M. Onishi, M. Goto, F. Beppu, T. Tanaka, T. Morooka, S. Nakayama and K. Chinone 431

X-ray microcalorimeter arrays fabricated by surface micromachining

G.C. Hilton, J.A. Beall, S. Deiker, L.R. Vale, W.B. Doriese, J. Beyer, J.N. Ullom, C.D. Reintsema, Y. Xu and K.D. Irwin. 435

Fabrication process responsible for fundamentally improving Silicon X-ray microcalorimeter arrays

R.P. Brekosky, C.A. Allen, M. Galeazzi, J.D. Gygax, H. Isenburg, R.L. Kelley, D. McCammon, R.A. McClanahan, F.S. Porter, C.K. Stahle and A.E. Szymkowiak 439

Development of an array of transition edge sensors for application in X-ray astronomy

M.P. Bruijn, N.H.R. Baars, W.M. Bergmann Tiest, A. Germeau, H.F.C. Hoevers, P.A.J. de Korte, W.A. Mels, M.L. Ridder, E. Krouwer, J.J. van Baar and R.J. Wiegerink 443

Development of molybdenum–gold proximity bilayers as transition edge sensors for the SPEED camera

T.C. Chen, A. Bier, B.A. Campano, D.A. Cottingham, F.M. Finkbeiner, C. O'Dell, E. Sharp, R.F. Silverberg and G. Wilson 446

First results from a 1-D imaging spectrometer using Ir TESs

S.J. Smith, C. Whitford, G.W. Fraser, A.D. Holland, D. Goldie, T.J.R. Ashton, R.J. Limpenny and T. Stevenson 449

Performance analyses of TES microcalorimeters with mushroom shaped X-ray absorbers made of Sn or Bi

Y. Ishisaki, U. Morita, T. Koga, K. Shinozaki, K. Sato, N. Takai, T. Ohashi, T. Arakawa, H. Kudo, H. Sato, H. Kobayashi, T. Izumi, S. Ohtsuka, K. Mori, S. Shoji, T. Osaka, T. Homma, K. Mitsuda, N.Y. Yamasaki, R. Fujimoto, N. Iyomoto, T. Oshima, K. Futamoto, Y. Takei, T. Ichitsubo, T. Fujimori, K. Yoshida, Y. Kuroda, M. Onishi, M. Goto and F. Beppu. 452

Fabrication of multi-pixel TES microcalorimeters with an electrodeposited Sn absorber and Bi absorber

T. Arakawa, H. Kudo, H. Sato, H. Kobayashi, T. Izumi, S. Ohtsuka, K. Mori, S. Shoji, T. Osaka, T. Homma, K. Mitsuda, N. Yamasaki, R. Fujimoto, N. Iyomoto, T. Oshima, K. Futamoto, Y. Takei, T. Ichitsubo, T. Fujimori, K. Yoshida, Y. Ishisaki, U. Morita, T. Koga, K. Shinozaki, K. Sato, N. Takai, T. Ohashi, Y. Kuroda, M. Onishi, M. Goto and F. Beppu 456

Fabrication of transition edge sensor X-ray microcalorimeters for Constellation-X

J.A. Chervenak, F.M. Finkbeiner, T.R. Stevenson, D.J. Talley, R.P. Brekosky, S.R. Bandler, E. Figueroa-Feliciano, M.A. Lindeman, R.L. Kelley, T. Saab and C.K. Stahle 460

Development of ultra-low impedance Through-wafer Micro-vias

F.M. Finkbeiner, C. Adams, E. Apodaca, J.A. Chervenak, J. Fischer, N. Doan, M.J. Li, C.K. Stahle, R.P. Brekosky, S.R. Bandler, E. Figueroa-Feliciano, M.A. Lindeman, R.L. Kelley, T. Saab and D.J. Talley. 463

The next-generation microcalorimeter array of XRS on Astro-E2

C.K. Stahle, C.A. Allen, K.R. Boyce, R.P. Brekosky, G.V. Brown, J. Cottam, E. Figueroa-Feliciano, M. Galeazzi, J.D. Gygax, M.B. Jacobson, R.L. Kelley, D. Liu, D. McCammon, R.A. McClanahan, S.H. Moseley, F.S. Porter, L.E. Rocks, A.E. Szymkowiak and J.E. Vaillancourt 466

Design of the second generation XRS detector

M. Galeazzi, K.R. Boyce, G.V. Brown, C. Chen, J. Cottam, E. Figueroa-Feliciano, M.B. Jacobson, R.L. Kelley, D. Liu, D. McCammon, F.S. Porter, L.E. Rocks, C.K. Stahle, A.E. Szymkowiak and J.E. Vaillancourt 469

Cosmic ray effects in microcalorimeter arrays

C.K. Stahle, K.R. Boyce, G.V. Brown, J. Cottam, E. Figueroa-Feliciano, M. Galeazzi, R.L. Kelley, D. McCammon, F.S. Porter, A.E. Szymkowiak and W.A. Tillotson 472

Development of a microcalorimeter array for wide energy band X-ray astronomy

C. Pelliciari, P. Agnese, X.F. Navick, C. Pigot and J.L. Sauvageot 475

SCUBA-2: A large-format TES array for submillimetre astronomy

M.D. Audley, W.S. Holland, W.D. Duncan, D. Atkinson, M. Cliffe, M. Ellis, X. Gao, D.C. Gostick, T. Hodson, D. Kelly, M.J. MacIntosh, H. McGregor, T. Peacocke, I. Robson, I. Smith, K.D. Irwin, G.C. Hilton, J.N. Ullom, A. Walton, C. Dunare, W. Parkes, P.A.R. Ade, D. Bintley, F. Gannaway, M. Griffin, G. Pisano, R.V. Sudiwala, I. Walker, A. Woodcraft, M. Fich, M. Halpern, G. Mitchell, D. Naylor and P. Bastien 479

Fabrication of the SCUBA-2 detector arrays

M.D. Audley, W.D. Duncan, W.S. Holland, A. Walton, W. Parkes, C. Dunare, A. Gundlach, T. Stevenson, K.D. Irwin, G.C. Hilton, E. Schulte, P.A.R. Ade and C. Tucker 483

Fabrication of antenna-coupled transition edge polarization-sensitive bolometer arrays

M. Yun, J. Bock, H. Leduc, P. Day and M.J. Kim 487

Antenna-coupled transition-edge hot-electron microbolometer

S. Ali, S. Malu, D. McCammon, K.L. Nelms, R. Pathak, P.T. Timbie and D.W. van der Weide. 490

Fabrication of silicon bolometers with bulk micromachining technology

A. Faes, F. Giacomozzi, B. Margesin and A. Nucciotti 493

Position-sensitive low-temperature detectors

E. Figueroa-Feliciano 496

Distributed transition-edge sensors for linearized position response in a phonon-mediated X-ray imaging spectrometer

B. Cabrera, P.L. Brink, S.W. Leman, J.P. Castle, A. Tomada, B.A. Young, D.S. Martínez-Galarce, R.A. Stern, S. Deiker and K.D. Irwin 502

Position-sensitive transition edge sensor modeling and results

C. Hammock, E. Figueroa-Feliciano, E. Apodaca, S. Bandler, K. Boyce, J. Chervenak, F. Finkbeiner, R. Kelley, M. Lindeman, S. Porter, T. Saab and C. Stahle. 505

Section 10. Single Photon Counting

Optical photon detection in Al superconducting tunnel junctions
G. Brammertz, A. Peacock, P. Verhoeve, D. Martin and R. Venn 508

A 12×10 pixels superconducting tunnel junction array based spectro-photometer for optical astronomy
D.D.E. Martin, P. Verhoeve, A. Peacock, A. van Dordrecht, J. Verveer and R. Hijmering 512

Tantalum superconducting tunnel junctions for infrared photon counting
C. Jorel, J.-C. Villégier, P. Feautrier and A. Benoit 516

Responsivity of Ta-based STJ's to visible light as a function of Al trapping layer thickness
I. Jerjen, E.C. Kirk, Ph. Lerch, A. Mchedlischivili, M. Furlan, D. Twerenbold, A. Zehnder and H.R. Ott 519

Low-temperature optical photon detectors for quantum information applications
S. Nam, A.J. Miller and D. Rosenberg. 523

Nano-structured superconducting single-photon detectors
G. Goltsman, A. Korneev, V. Izbenko, K. Smirnov, P. Kouminov, B. Voronov, N. Kaurova, A. Verevkin, J. Zhang, A. Pearlman, W. Slysz and R. Sobolewski 527

Detection of single optical photons with STJ detectors in RIKEN
S. Shiki, H. Sato, Y. Takizawa, T. Taino, C. Otani and H.M. Shimizu 530

Development and characterization of a TES optical imaging array for astrophysics applications
J. Burney, T.J. Bay, P.L. Brink, B. Cabrera, J.P. Castle, R.W. Romani, A. Tomada, S.W. Nam, A.J. Miller, J. Martinis, E. Wang, T. Kenny and B.A. Young 533

Near-unity absorption of near-infrared light in tungsten films
D. Rosenberg, S.W. Nam, A.J. Miller, A. Salminen, E. Grossman, R.E. Schwall and J.M. Martinis 537

Fabrication and characterization of ultra-thin NbN hot electron bolometer for near infrared single photon detection
B. Delaet, J.-C. Villegier, W. Escoffier, J.-L. Thomassin, P. Feautrier, I. Wang, P. Renaud-Goud and J.-P. Poizat 541

Section 11. Electronic and Signal Analysis

In-focal-plane SQUID multiplexer
K.D. Irwin, M.D. Audley, J.A. Beall, J. Beyer, S. Deiker, W. Doriese, W. Duncan, G.C. Hilton, W. Holland, C.D. Reintsema, J.N. Ullom, L.R. Vale and Y. Xu 544

Frequency domain multiplexing for bolometer arrays
T.M. Lanting, H.-M. Cho, J. Clarke, M. Dobbs, A.T. Lee, M. Lueker, P.L. Richards, A.D. Smith and H.G. Spieler. 548

Implementation of frequency domain multiplexing in imaging arrays of microcalorimeters
J. van der Kuur, P.A.J. de Korte, P. de Groene, N.H.R. Baars, M.P. Lubbers and M. Kiviranta 551

Pulse estimation in nonlinear detectors with nonstationary noise
D.J. Fixsen, S.H. Moseley, B. Cabrera and E. Figueroa-Feliciano. 555

Time-division SQUID multiplexer for the readout of X-ray microcalorimeter arrays
W.B. Doriese, J.A. Beall, J. Beyer, S. Deiker, L. Ferreira, G.C. Hilton, K.D. Irwin, J.M. Martinis, S.W. Nam, C.D. Reintsema, J.N. Ullom, L.R. Vale and Y. Xu 559

The multiplexing of signals in direct detector arrays using projections method
A.N. Vystavkin and A.V. Pestriakov 562

Frequency-domain multiplexing of TES microcalorimeter array with CABBAGE
N. Iyomoto, T. Ichitsubo, K. Mitsuda, N.Y. Yamasaki, R. Fujimoto, T. Oshima, K. Futamoto, Y. Takei, T. Fujimori, K. Yoshida, Y. Ishisaki, U. Morita, T. Koga, K. Shinozaki, K. Sato, N. Takai, T. Ohashi, T. Miyazaki, S. Nakayama, K. Tanaka, T. Morooka and K. Chinone 566

64-channel pre-amplifier ASICs for superconducting tunnel junction readout
D.D.E. Martin, A. Peacock, P. Verhoeve, A. Fernández-León, B. Glass and G. Mæhlum. 570

First results of a TES microcalorimeter AC-biased at 500 kHz
N.H.R. Baars, J. van der Kuur, M.P. Lubbers and P.A.J. de Korte 574

The front-end readout for CUORICINO, an array of macro-bolometers and MIBETA, an array of μ-bolometers
C. Arnaboldi, C. Bucci, S. Capelli, A. Fascilla, P. Gorla, A. Nucciotti, M. Pedretti, G. Pessina, S. Pirro, E. Previtali and M. Sisti 578

Application of HEMT for multiplexing large arrays of high impedance LTDs
A. Benoit, Ph. Camus, A. Cavanna, A. Elhdiy, Y. Jin and S. Leclercq 581

Digital acquisition systems for the EDELWEISS experiment
G. Chardin, P. Cluzel, S. Fiorucci, J. Gascon, M. Gros, S. Marnieros, O. Martineau and L. Vagneron . . . 584

Multichannel SQUID readout for CRESST II
S. Henry, H. Kraus, B. Majorovits and Y. Ramachers. 588

Practical considerations in optimal filtering of TES signals
C.H. Whitford, W.M.B. Tiest and A.D. Holland. 592

Energy scales in X-ray microcalorimeters
W.A. Tillotson, K.R. Boyce, G.V. Brown, J. Cottam, E. Figueroa-Feliciano, R.L. Kelley, F.S. Porter and C.K. Stahle 595

Fabrication of field effect transistor based on carbon nanotubes
P. Repetto, S. Dussoni, F. Gatti, D. Pergolesi, L. Gastaldo, R. Valle and M.R. Gomes 599

Section 12. Material Science, Biology and Medical Science

Applications of low-temperature detectors to synchrotron radiation
F. d'Acapito and C. Maurizio 602

Energy dispersive X-ray spectroscopy with microcalorimeters
C. Hollerith, D. Wernicke, M. Bühler, F.v. Feilitzsch, M. Huber, J. Höhne, T. Hertrich, J. Jochum, K. Phelan, M. Stark, B. Simmnacher, W. Weiland and W. Westphal. 606

Application of a TES micro-calorimeter as high-energy resolution detector for hard X-rays at a synchrotron beam line
C. Maurizio, D. Pergolesi, F. Gatti, F. d'Acapito, M. Razeti, A. Balerna and S. Mobilio 610

Detection of hard X-rays using superconducting tunnel junctions
H. Sato, Y. Takizawa, S. Shiki, C. Otani, M. Kurakado and H.M. Shimizu 613

Multispectral/fluorescence CT using superconducting tunnel junction detector for 3-D material analysis
Y. Takizawa, H. Sato, S. Shiki, C. Otani, M. Kurakado, T. Taino and H.M. Shimizu 617

Biological applications of cryogenic detectors
S. Friedrich 621

Development of a superconducting-phase-transition thermometer (SPT) for the application in a time-of-flight mass spectrometer (TOF-MS) for heavy-mass molecules
S. Rutzinger, P. Christ, F. Pröbst, W. Seidel, S. Uchaikin and M. Stark 625

Superheated superconducting grains (SSG) in high density dielectric matrix (HDDM): feasibility of a positron emission tomography
R.B. Dawson, J. Maillard, G. Maurel, J. Silva and G. Waysand. 628

Section 13. Cryogenics

Custom-built research refrigerators for ultra-low temperature
V. Shvarts, L. Bobb, M. Jirmanus and Z. Zhao 631

Thermal and magnetic properties of $(Er_xY_{1-x})_3Al_5O_{12}$ for application to ADRs
A. Kushino, Y. Aoki, K. Sato, A. Tsuchiya, Y. Ishisaki and T. Ohashi 634

Robust infrared filters for X-ray spectroscopy
N.A. Miller, J.N. Ullom, J.A. Beall, G.C. Hilton, S. Deiker, W.B. Doriese, K.D. Irwin, C.D. Reintsema, L.R. Vale and Y. Xu 638

Complete elimination of 1K Pot vibrations in dilution refrigerators
P. Gorla, C. Bucci and S. Pirro 641

A cryogenic set-up for low-frequency noise characterization of electronic devices
C. Arnaboldi, G. Boella, R. Mazza, E. Panzeri and G. Pessina. 644

A compact, continuous adiabatic demagnetization refrigerator with high heat sink temperature
P.J. Shirron, E.R. Canavan, M.J. DiPirro, M. Jackson and J.G. Tuttle. 647

Author index 651